CONTENTS

List of committees ix

Sponsors of RNB 2000 xi

Conference photograph xvii

Preface xix

Nucleon transfer studies with radioactive beams
W.N. Catford 1c

Halo physics
I.J. Thompson 7c

A kinematically complete measurement of the Coulomb dissociation of ^{8}B
B. Davids, D.W. Anthony, T. Aumann, S.M. Austin, T. Baumann, D. Bazin, R.R.C. Clement, P.A. Lofy, T. Nakamura, B.M. Sherrill, J. Yurkon, C.N. Davids and H. Esbensen 14c

Reaction cross sections for exotic nuclei in the Glauber approach
G.D. Alkhazov and A.A. Lobodenko 18c

Reaction studies with post-accelerated radioactive nuclear beams
A.N. Ostrowski and LEDA collaboration 19c

The potential of the loosely bound ^{9}Be from ^{209}Bi elastic scattering: unusual behaviour at near threshold energy
C. Signorini, A. Andrighetto, J.Y. Guo, M. Ruan, L. Stroe, F. Soramel, K.E.G. Löbner, L. Müller, D. Pierroutsakou, M. Romoli, K. Rudolph, I. Thompson, M. Trotta and A. Vitturi 23c

Interaction of ^{8}He nuclei with α particles and protons at a beam energy of 26 MeV/n
R. Wolski, A.S. Fomichev, A.M. Rodin, S.I. Sidorchuk, S.V. Stepantsov, G.M. Ter-Akopian, Yu.Ts. Oganessian, W. Mittig, P. Roussel-Chomaz, N. Alamanos, V. Lapoux and R. Raabe 29c

Present and future RNB facilities in Europe
B. Jonson 35c

Radioactive nuclear beam facilities in north America: Status and outlook
H.A. Grunder 43c

TRIUMF-ISAC target station and mass separator commissioning
P. Bricault, R. Baartman, M. Dombsky, A. Hurst, C. Mark, G. Stanford and P. Schmor 49c

Status of the EXCYT facility at INFN-LNS
G. Ciavola, R. Alba, L. Calabretta, L. Celona, G. Cosentino, G. Cuttone, P. Finocchiaro, S. Gammino, M. Menna, R. Papaleo, G. Raia, D. Rifuggiato, A. Rovelli, M. Silvestri, D. Vinciguerra and M. Winkler 54c

A recoil mass separator for nuclear astrophysics experiments
H. Ishiyama, H. Miyatake, N. Yoshikawa, S.C. Jeong, M. Wada, Y. Ishida, M.H. Tanaka, S. Takaku, Y. Fuchi, H. Kawashima, I. Katayama, T. Nomura, T. Teranishi, M. Michimasa, N. Imai, Y. Yanagisawa, S. Kubono, P. Strasser and S. Kato 58c

Present status of the radioactive nuclear beam facility at KEK-Tanashi and the E-arena in the KEK–JAERI joint project
H. Miyatake, S.C. Jeong, H. Ishiyama, Y. Ishida, H. Kawakami, N. Yoshikawa, I. Katayama, M.H. Tanaka, E. Tojyo, M. Oyaizu, S. Arai, S. Tomizawa, K. Niki, Y. Arakaki, M. Okada, Y. Takeda, M. Wada, P. Strasser, S. Kubono and T. Nomura 62c

Project of an advanced ISOL facility for exotic beams at LNL
L.B. Tecchio, A. Andrighetto, R. Cherubini, P. Colautti, M. Comunian, L. Corradi, A. Dainelli, G. De Angelis, M. De Poli, A. Facco, E. Fioretto, G. Fortuna, G. Jiyu, R. Ming, G. Montagnoli, G. Moschini, A. Pisent, M. Poggi, A.M. Porcellato, D. Zafiropoulos, P. Bak, N. Kot, P. Logatchev, S. Shyankov, F. Brandolini, G. Moschini, C. Signorini, T. Clauser, G. Lamanna, V. Stagno and V. Variale 67c

RNB production with thermal neutrons
O. Kester, D. Habs, M. Groß, H.J. Maier, P.G. Thirolf, T. Sieber, T. Faestermann, T. von Egidy and U. Köster 71c

RNB production with high-energy neutrons
E. Cottereau 78c

RIB production with photofission of uranium
Yu.Ts. Oganessian, S.N. Dmitriev, J. Kliman, O.A. Maslov, G.Ya. Starodub, A.G. Belov and S.P. Tretiakova 87c

Some regularities in the beam-direct production of isotopes with $2 \leqslant Z \leqslant 11$ induced in reactions of ^{18}O (35 A MeV) with Be and Ta
A.G. Artukh, G.F. Gridnev, M. Gruszecki, F. Koscielniak, A.G. Semchenkov, O.V. Semchenkova, Yu.M. Sereda, I. Szmider and Yu.G. Teterev 96c

High-intensity cyclotrons for radioisotope production and accelerator driven systems
Y. Jongen, D. Vandeplassche, W. Kleeven, W. Beeckman, S. Zaremba, G. Lannoye and F. Stichelbaut 100c

Low energy radioactive ion beams in Dubna
Yu.Ts. Oganessian, Yu.E. Penionzhkevich 104c

Production of neutron-rich nuclei by multinucleon transfer reactions
L. Corradi, A.M. Stefanini, A.M. Vinodkumar, S. Beghini, G. Montagnoli, F. Scarlassara and G. Pollarolo 109c

Future prospects for secondary-beam production
K.-H. Schmidt, J. Benlliure, T. Enqvist, A.R. Junghans, F. Rejmund and M.V. Ricciardi 115c

Isotopic production cross sections of heavy residues from reactions of ^{238}U(1 A GeV) on protons and deuterons relevant for RNB production
E. Casarejos, J. Taieb, J. Benlliure, P. Armbruster, M. Bernas, A. Boudard, S. Czajkowski, T. Enqvist, F. Rejmund, R. Legrain, S. Leray, B. Mustapha, M. Pravikoff, K.-H. Schmidt, C. Stephan, L. Tassan-Got, C. Volant and W. Wlazlo 123c

Production of neutron rich isotopes in fission. A study for RNB facilities
V.A. Rubchenya, J. Äystö 127c

CERN n_TOF facility and its possible impact on producing nuclei with large neutron excess
C. Borcea, P. Cennini, A. Ferrari, Y. Kadi, V. Lacoste, E. Radermacher and V. Vlachoudis 133c

Isotope production comparison at ISOLDE with 1 and 1.4 GeV protons
U. Georg, A.R. Junghans, H. Simon, U.C. Bergmann, R. Catherall, T. Giles, O.C. Jonsson, U. Köster, E. Kugler, J. Lettry, T. Nilsson, H. Ravn, K.-H. Schmidt, C. Tamburella and ISOLDE collaboration 137c

Production of neutron-rich copper isotopes in 30-MeV proton-induced fission of ^{238}U
K. Kruglov, A. Andreyev, B. Bruyneel, S.S. Dean, S. Franchoo, M. Huyse, Y. Kudryavtsev, W.F. Mueller, N.V.S.V. Prasad, R. Raabe, I. Reusen, K.-H. Schmidt, K. Van de Vel, P. Van Duppen, J. Van Roosbroeck, L. Weissman and the ISOLDE collaboration 145c

Production of projectile-like fragments at intermediate energies
S. Momota, M. Notani, S. Ito, A. Ozawa, T. Suzuki, I. Tanihata, N. Aoi, H. Sakurai, T. Teranishi, Y. Watanabe, A. Yoshida, A. Inabe, T. Kubo, H. Okuno,

N. Fukuda, H. Iwasaki, K. Yoneda, H. Ogawa, A. Kitagawa, M. Kanazawa, M. Torikoshi, M. Suda and A. Ono 150c

Experimental study on the production of light nuclei in spallation–fission reactions and projectile fragmentation of ^{238}U
M.V. Ricciardi, P. Armbruster, J. Benlliure, M. Bernas, A. Boudard, S. Czajkowski, T. Enqvist, S. Leray, R. Legrain, B. Mustapha, M. Pravikoff, K.-H. Schmidt, C. Stephan, F. Rejmund, L. Tassan-Got and C. Volant 156c

EPAX version 2: a modified empirical parametrization of fragmentation cross sections
K. Sümmerer and B. Blank 161c

Theoretical description of superheavy nuclei
W. Nazarewicz, M. Bender, S. Ćwiok, P.H. Heenen, A.T. Kruppa, P.-G. Reinhard and T. Vertse 165c

Developments in spectrometers for radioactive ion beams
G. de France 172c

Towards new proton radioactivities with radioactive beams and digital signal processing
K. Rykaczewski, J.W. McConnell, C.R. Bingham, R. Grzywacz, M. Karny, J.C. Batchelder, C.J. Gross, Z. Janas, M. Momayezi, J. Wahl, A. Piechaczek, E.F. Zganjar, T.N. Ginter, J.H. Hamilton, W.B. Walters, W.D. Kulp and J.A. Winger 179c

First results of a high precision mass measurement program for very short-lived nuclides
C. Toader, C. Monsanglant, G. Audi, G. Conreur, H. Doubre, S. Henry, M. Jacotin, J.F. Kepinski, G. Le Scornet, D. Lunney, M. De Saint Simon, C. Thibault, H.-J. Kluge, C. Borcea, M. Duma, G. Bollen and ISOLDE collaboration 184c

Louvain–Edinburgh Detector Array (LEDA): a silicon detector array for use with radioactive nuclear beams
T. Davinson, A.M. Laird, A. Di Pietro, A.N. Ostrowski, A.C. Shotter, P.J. Woods, S. Cherubini, W. Galster, P. Leleux and J. Vervier 188c

Characteristics of neutron-rich nuclei around shell closures $N = 20$ and 28
Z. Dlouhý, J.C. Angélique, R. Anne, G. Auger, D. Baiborodin, C. Borcea, E. Caurier, A. Gillibert, S. Grevy, D. Guillemaud-Mueller, A.S. Lalleman, M. Lewitowicz, S.M. Lukyanov, W. Mittig, J. Mrázek, A.C. Mueller, F. Nowacki, F. de Oliveira, N. Orr, R.D. Page, Yu.E. Penionzhkevich, F. Pougheon, A.T. Reed, Z. Ren, D. Ridikas, P. Roussel-Chomaz, M.G. Saint-Laurent, H. Sakurai, F. Sarazin, H. Savajols, O. Sorlin, O. Tarasov, A. de Vismes and J. Winfield 189c

A beam diagnostic system for REX-ISOLDE
K. Kruglov, L. Weissman, P. Van den Bergh, M. Huyse and P. Van Duppen 193c

Measurement of the dipole response of neutron-rich nuclei in the $A \sim 20$ region
U. Datta Pramanik, T. Aumann, A. Leistenschneider, K. Boretzky, D. Cortina, Th.W. Elze, H. Emling, H. Geissel, A. Grünschloß, M. Hellström, R. Holzmann, S. Ilievski, N. Iwasa, J.V. Kratz, R. Kulessa, Y. Leifels, E. Lubkiewicz, G. Münzenberg, P. Reiter, M. Rejmund, C. Scheidenberger, Ch. Schlegel, H. Simon, J. Stroth, K. Sümmerer, E. Wajda and W. Walus 199c

Beam profile imaging target
V. Pugatch, K.T. Knöpfle and Yu. Vassiliyev 204c

The MINIBALL array
P. Reiter, J. Eberth, H. Faust, S. Franchoo, J. Gerl, C. Gund, D. Habs, M. Huyse, A. Jungclaus, K.P. Lieb, H. Scheit, D. Schwalm, H.G. Thomas, P. van Duppen and D. Weisshaar 209c

New statistical methods for exotic nuclei
U.C. Bergmann and K. Riisager 213c

The heavy-ion magnetic spectrometer PRISMA
A.M. Stefanini, L. Corradi, G. Maron, A. Pisent, M. Trotta, A.M. Vinodkumar, S. Beghini, G. Montagnoli, F. Scarlassara, G.F. Segato, A. De Rosa, G. Inglima, D. Pierroutsakou, M. Romoli, M. Sandoli, G. Pollarolo and A. Latina 217c

Implications on obtained data, electronics and DAQ-system by the use of dense detector setups in beta-decay studies
O. Tengblad, M.J.G. Borge, L.M. Fraile, U.C. Bergmann, H.O.U. Fynbo, K. Riisager, B. Jonson, T. Nilsson, G. Nyman, F. Wenander, IS339 collaboration, IS361 collaboration and ISOLDE collaboration 222c

Development of detection systems for low-energy heavy ions at DRAGON
S. Engel, S. Bishop, A. Chen, C. Dale, J.M. D'Auria, U. Giesen, U. Greife, R. Henderson, D. Hunter, D. Hutcheon, R. Openshaw, J. Rogers, C. Rolfs and A. Shotter 228c

Role of two-body operators in electromagnetic transitions
A. Yokoyama 231c

Application of RNB for high sensitive wear diagnostics in medicine technique and industry
P. Fehsenfeld, C. Eifrig and R. Kubat 235c

Formation of ^{117}In–H pairs after annealing of GaN implanted with ^{117}Cd(^{117}In)
M. Dietrich, M. Deicher, A. Stötzler, R. Weissenborn and ISOLDE collaboration 240c

Application of an RI-beam for cancer therapy: In-vivo verification of the ion-beam range by means of positron imaging
M. Kanazawa, A. Kitagawa, S. Kouda, T. Nishio, M. Torikoshi, K. Noda, T. Murakami, M. Suda, T. Tomitani, T. Kanai, Y. Futami, M. Shinbo, E. Urakabe and Y. Iseki 244c

A polarized beams project at ISAC
C.D.P. Levy, R. Baartman, K. Jayamanna, R. Kiefl, T. Kuo, M. Olivo, G.W. Wight, D. Yuan and A.N. Zelenski 253c

In-flight spectrometers status and new developments
H. Geissel, G. Münzenberg and H. Weick 259c

ISOL techniques, present status and new developments
M. Huyse 265c

Recent developments at the GSI Online Mass Separator
K. Schmidt, R. Borcea, K. Burkard, J. Döring, M. Górska, H. Grawe, W. Hüller, Z. Janas, R. Kirchner, M. La Commara, C. Mazzocchi and E. Roeckl 272c

Radioactive beams at Texas A&M University
R.E. Tribble, A. Azhari, C.A. Gagliardi, J.C. Hardy, A. Mukhamedzhanov, X. Tang, L. Trache and S.J. Yennello 278c

Stopping energetic beams in gas
T. Baumann, M.J. Chromik, R.R.C. Clement, C. Freigang, P. Heckman, J.P. Seitz, B.M. Sherrill, M. Thoennessen and E.J. Tryggestad 282c

Isomeric target for nuclear structure studies
L. Maunoury, P. Delbourgo-Salvador, P. Aubert, J. Aupiais, M. Baudin, G. Blier, B. Bonnereau, Y. Boulin, F. Pointurier, J.E. Sauvestre, J. Sigaud and M. Szmigiel 286c

ISOL beams from fragmentation: the best of both worlds
G. Savard, J. Schwartz, J. Caggiano, J.P. Greene, A. Heinz, M. Maier, D. Seweryniak and B.J. Zabransky 292c

Delays in thick targets
J.R.J. Bennett 296c

Conductive cooling of high-power RIB targets
W.L. Talbert, D.M. Drake, M.T. Wilson, J.W. Lenz and H.-H. Hsu 303c

Liquid-lithium cooling for 100-kW ISOL and fragmentation targets
J.A. Nolen, C.B. Reed, A. Hassanein and I.C. Gomes 312c

Recent results from the Louvain-la-Neuve RIB-facility
G. Ryckewaert, J.M. Colson, M. Gaelens, M. Loiselet and N. Postiau 323c

Release studies of a thin foil tantalum target for the production of short-lived radioactive nuclei
J.R.J. Bennett, U.C. Bergmann, P.V. Drumm, J. Lettry, T. Nilsson, R. Catherall, O.C. Jonsson, H.L. Ravn and H. Simon 327c

Traceable measurements of the activity concentration in air
A. Paul, A. Honig, D. Forkel-Wirth, A. Mueller and A. Marcos 334c

What is next after SPIRAL at GANIL?
D. Ridikas, W. Mittig and A.C.C. Villari 343c

Nuclear decay studies and weak interactions
P. Dessagne 348c

Quantum Monte Carlo for light nuclei
S.C. Pieper 357c

Light exotic isotopes: recent beam developments and physics applications at ISOLDE
U.C. Bergmann, L. Axelsson, J.R.J. Bennett, M.J.G. Borge, R. Catherall, P.V. Drumm, V.N. Fedoseyev, C. Forssén, L.M. Fraile, H.O.U. Fynbo, U. Georg, T. Giles, S. Grévy, P. Hornshøj, B. Jonson, O.C. Jonsson, U. Köster, J. Lettry, K. Markenroth, F.M. Marqués, V.I. Mishin, I. Mukha, T. Nilsson, G. Nyman, A. Oberstedt, H.L. Ravn, K. Riisager, G. Schrieder, V. Sebastian, H. Simon, O. Tengblad, F. Wenander and K. Wilhelmsen Rolander 363c

Search for new physics in beta-neutrino correlations with the WITCH spectrometer
D. Beck, F. Ames, M. Beck, G. Bollen, B. Delauré, J. Deutsch, J. Dilling, O. Forstner, T. Phalet, R. Prieels, W. Quint, P. Schmidt, P. Schuurmans, N. Severijns, B. Vereecke, S. Versyck and EUROTRAPS collaboration 369c

Proton dripline studies at ISOLDE: ^{31}Ar and ^{9}C
M.J.G. Borge, L.M. Fraile, O. Tengblad, U.O.C. Bergmann, H.O.U. Fynbo, I. Mukha, K. Riisager, L. Axelsson, B. Jonson, G. Nyman, K. Markenroth, J. Äystö, A. Honkanen, A. Jokinen, M. Oinonen, Y. Jading, I. Martel, T. Nilsson, F. Wenander and ISOLDE collaboration 373c

Halo structure in ^{19}C
R. Kanungo, I. Tanihata, Y. Ogawa, H. Toki and A. Ozawa 378c

Precise magnetic moment of short-lived beta emitter ^{35}Ar
K. Matsuta, T. Tsubota, C. Ha, T. Miyake, M. Sasaki, K. Sato, K. Minamisono, K. Tanaka, S. Kaminaka, A. Takemura, T. Sumikama, T. Nagatomo, K. Hashimoto, M. Mihara, M. Fukuda, T. Minamisono, T. Ohtsubo, Y. Nojiri, S. Momota, A. Kitagawa, M. Torikoshi, M. Kanazawa, S. Koda, T. Nishio, M. Suda, J.R. Alonso, G.F. Krebs and T.J.M. Symons 383c

Measurement of the ^{4}He(^{6}He, ^{6}He)^{4}He cross section with a ^{4}He-implanted Al target
R. Raabe, L. Weissman, A. Andreyev, C. Angulo, D. Baye, W. Bradfield-Smith, S. Cherubini, T. Davinson, P. Descouvemont, A. Di Pietro, M. Huyse, A.M. Laird, W.F. Mueller, A. Musumarra, A. Ostrowski, A. Piechaczek, A. Shotter, G. Terwagne, P. Van Duppen and A. Wöhr 387c

Spectroscopy with $\beta 2p$ and β–ν recoil shifts
H.O.U. Fynbo, L. Axelsson, J. Äystö, U.C. Bergmann, M.J.G. Borge, L.M. Fraile, A. Honkanen, P. Hornshøj, Y. Jading, A. Jokinen, B. Jonson, I. Martel, I. Mukha, T. Nilsson, G. Nyman, M. Oinonen, K. Riisager, T. Siiskonen, M.H. Smedberg, J. Thaysen, O. Tengblad, F. Wenander and ISOLDE collaboration 394c

g-factors of isomers around $N \approx 40$, $Z \approx 28$ from time-dependent Larmor precession on spin-aligned projectile-like fragments
G. Neyens, G. Georgiev, R. Grzywacz, M. Hass, F. de Oliveira Santos, M. Lewitowicz, D.L. Balabanski, C. Bingham, C. Borcea, N. Coulier, R. Coussement, J.M. Daugas, G. Defrance, G. Goldring, M. Górska, H. Grawe, C. O'Leary, I. Macovei, H. Mach, R. Page, M. Pfützner, Yu.-E. Penionzkevich, Z. Podolyak, P.H. Regan, K. Rykaczewski, M. Sawicka, N.A. Smirnova, Yu. Sobolev, S. Teughels and K. Vyvey 403c

Study of the neutron-rich nuclei with $N = 21$, ^{35}Si and ^{33}Mg, by beta decay of ^{35}Al and ^{33}Na
S. Nummela, P. Baumann, E. Caurier, S. Courtin, P. Dessagne, E. Holmlund, A. Jokinen, A. Knipper, G. Le Scornet, C. Mieh, F. Nowacki, L.G. Lyapin, M. Oinonen, E. Poirier, Z. Radivojevic, M. Ramdhane, W.H. Trzaska, G. Walter, J. Äystö and ISOLDE collaboration 410c

Effective interactions in medium heavy nuclei
T. Engeland, M. Hjorth-Jensen and E. Osnes 416c

Scientific opportunities with in-flight separated beams
B.M. Sherrill 422c

Reaction theory and structure interplay for proton elastic scattering from halo nuclei: ^{11}Li example
R. Crespo 429c

Discovery of doubly-magic ^{48}Ni at GANIL
M. Chartier, B. Blank, S. Czajkowski, J. Giovinazzo, M.S. Pravikoff, J.-C. Thomas, G. de France, F. de Oliveira Santos, M. Lewitowicz, C. Borcea, R. Grzywacz, Z. Janas and M. Pfützner 433c

Gamma-ray spectroscopy of ^{34}Mg via RI beam fragmentation
K. Yoneda, H. Sakurai, T. Gomi, T. Motobayashi, N. Aoi, N. Fukuda, U. Futakami, Z. Gacsi, Y. Higurashi, N. Imai, N. Iwasa, H. Iwasaki, T. Kubo,

M. Kunibu, M. Kurokawa, Z. Liu, T. Minemura, A. Saito, M. Serata, S. Shimoura, S. Takeuchi, Y.X. Watanabe, K. Yamada, Y. Yanagisawa, K. Yogo, A. Yoshida and M. Ishihara 437c

Resonance ionization laser ion sources
U. Köster 441c

The development of the ^{17}F beam at the Holifield radioactive ion beam facility
R.F. Welton and the HRIBF staff 452c

Target–ion-source system for RNB facility at KEK Tanashi
S.C. Jeong, H. Ishiyama, H. Kawakami, H. Miyatake, Y. Ishida, E. Tojyo, M. Oyaizu, S. Mizutani, N. Yoshikawa, M.H. Tanaka, H. Kawashima, Y. Fuchi, M. Wada, I. Katayama and T. Nomura 461c

The Leuven isotope separator on-line laser ion source
Yu. Kudryavtsev, B. Bruyneel, S. Franchoo, M. Huyse, J. Gentens, K. Kruglov, W.F. Mueller, N.V.S.V. Prasad, R. Raabe, I. Reusen, P. Van den Bergh, P. Van Duppen, J. Van Roosbroeck, L. Vermeeren and L. Weissman 465c

Development of high temperature targets at IRIS facility
V.N. Panteleev, A.E. Barzakh, D.V. Fedorov, F.V. Moroz, S.Yu. Orlov, A.G. Poljakov, M.D. Seliverstov and Yu.M. Volkov 470c

Ion source developments for RNB production at SPIRAL/GANIL
A.C.C. Villari, C. Barué, G. Gaubert, S. Gibouin, Y. Huguet, P. Jardin, S. Kandri-Rody, F. Landré-Pellemoine, N. Lecesne, R. Leroy, M. Lewitowicz, C. Marry, L. Maunoury, J.Y. Pacquet, J.P. Rataud, M.G. Saint-Laurent, C. Stodel, J.C. Angélique, N.A. Orr and R. Lichtenthäler 476c

Target handling at high-intensity RNB facilities
P.W. Schmor 480c

Online isotope separation at ISAC with a 10 μA proton driver beam
M. Dombsky, P. Bricault, T. Hodges, A. Hurst and P. Schmor 486c

Recent results at the SIRa test bench: Diffusion properties of carbon graphite and B_4C targets
F. Landré-Pellemoine, J.C. Angelique, O. Bajeat, C. Barué, R. Bennett, F. Clapier, M. Ducourtieux, G. Gaubert, S. Gibouin, Y. Huguet, P. Jardin, S. Kandri-Rody, C. Lau, N. Lecesne, R. Leroy, M. Lewitowicz, R. Lichtenthäler, C. Marry, L. Maunoury, J. Obert, N.A. Orr, J.Y. Pacquet, M.G. Saint-Laurent, C. Stodel, J.P. Rataud and A.C.C. Villari 491c

Atomic physics techniques applied to nuclear physics
H.-J. Kluge 495c

Relativistic description of medium-heavy nuclei far from stability
P. Ring, G.A. Lalazissis and D. Vretenar 503c

Storage rings for radioactive, highly charged ions
F. Bosch 509c

Extension of Penning-trap mass measurements to very short-lived nuclides
F. Herfurth, G. Audi, D. Beck, G. Bollen, J. Dilling, S. Henry, A. Kellerbauer, H.-J. Kluge, V. Kolhinen, D. Lunney, R.B. Moore, C. Scheidenberger, S. Schwarz, G. Sikler, J. Szerypo and ISOLDE collaboration 516c

Direct mass measurements of neutron-deficient xenon isotopes with the ISOLTRAP mass spectrometer
J. Dilling, G. Audi, D. Beck, G. Bollen, S. Henry, F. Herfurth, A. Kellerbauer, H.-J. Kluge, D. Lunney, R.B. Moore, C. Scheidenberger, S. Schwarz, G. Sikler, J. Szerypo and ISOLDE collaboration 520c

Spin polarization of low-energy radioactive nuclear beams by tilted-foil technique
S. Shimizu, E. Doumoto, M. Yagi, M. Asai, M. Nakamura, Y. Hirayama, K. Horie, T. Shigematsu, H. Izumi, T. Shimoda and N. Takahashi 524c

EBIS as charge breeder for radioactive ion beam accelerators
F. Wenander 528c

ECRIS as ion source and charge breeder
P. Sortais, J.L. Bouly, N. Chauvin, J.C. Curdy, R. Geller, T. Lamy, P. Sole and J.L. Vieux-Rochaz 537c

Bunching and cooling of radioactive ions with REXTRAP
P. Schmidt, F. Ames, G. Bollen, O. Forstner, G. Huber, M. Oinonen, J. Zimmer and REX-ISOLDE collaboration 550c

The first cooled beams from JYFL ion cooler and trap project
A. Jokinen, J. Huikari, A. Nieminen and J. Äystö 557c

Mass and lifetime measurements at the storage ring ESR
F. Attallah, M. Hausmann, Y.A. Litvinov, T. Radon, J. Stadlmann, K. Beckert, F. Bosch, M. Falch, B. Franzke, H. Geissel, Th. Kerscher, O. Klepper, H.-J. Kluge, C. Kozhuharov, K.E.G. Löbner, G. Münzenberg, F. Nolden, Y.N. Novikov, Z. Patyk, W. Quint, H. Schatz, C. Scheidenberger, B. Schlitt, M. Steck, K. Sümmerer, H. Weick and H. Wollnik 561c

A linear radiofrequency quadrupole ion trap for the cooling and bunching of radioactive ion beams
A. Kellerbauer, G. Bollen, J. Dilling, S. Henry, F. Herfurth, H.-J. Kluge, E. Lamour, R.B. Moore, C. Scheidenberger, S. Schwarz, G. Sikler and J. Szerypo 565c

Investigation of a gas-catcher/ion guide system using alpha-decay recoil products
K. Peräjärvi, J. Huikari, S. Rinta-Antila and P. Dendooven 570c

Production and trapping of carbon clusters for absolute mass measurements at ISOLTRAP
C. Scheidenberger, G. Bollen, F. Herfurth, A. Kellerbauer, H.-J. Kluge, M. Koizumi, S. Schwarz and L. Schweikhard 574c

SHIPTRAP—a capture and storage facility for heavy radionuclides at GSI
SHIPTRAP collaboration, J. Schönfelder, D. Ackermann, H. Backe, G. Bollen, J. Dilling, A. Dretzke, O. Engels, J. Estermann, D. Habs, S. Hofmann, F.P. Hessberger, H.-J. Kluge, W. Lauth, W. Ludolphs, M. Maier, G. Marx, R.B. Moore, W. Quint, D. Rodriguez, M. Sewtz, G. Sikler, C. Toader and Chr. Weber 579c

A spin polarizer for radioactive nuclear beams by taking advantage of polarized electron transfer reactions
T. Shimoda, S. Shimizu, E. Doumoto, M. Yagi, M. Asai, M. Nakamura, Y. Hirayama, K. Horie, T. Shigematsu, H. Izumi and N. Takahashi 583c

Penning trap at IGISOL
J. Szerypo, A. Jokinen, V.S. Kolhinen, A. Nieminen, S. Rinta-Antila and J. Äystö 588c

The study of the transmission efficiency of the DRIBs transport lines
V.V. Bashevoy, M.N. El-Shazly, G.G. Gulbekian, M.V. Khabarov, I.V. Kolesov, V.N. Melnikov, R.Ts. Oganessian and A.V. Tikhomirov 592c

Traps for neutral radioactive atoms
G.D. Sprouse, R.P. Fliller, J.S. Grossman, L.A. Orozco and M.R. Pearson 597c

Nuclear astrophysics with radioactive beams
H. Schatz 604c

Beta-decay half-lives of ^{70}Kr and ^{74}Rb
M. Oinonen, J. Äystö, U. Köster, J. Huikari, A. Jokinen, A. Nieminen, K. Peräjärvi, P. Baumann, F. Didierjean, A. Huck, A. Knipper, M. Ramdhane, G. Walter, M. Huyse, P. Van Duppen, G. Marguier, Yu. Novikov, A. Popov, D.M. Seliverstov, H. Schatz and ISOLDE collaboration 613c

Break-out from the hot-CNO cycle studied with radioactive beams
A.N. Ostrowski, A.M. Laird, A.C. Shotter, M. Aliotta, F. Cappuzzello, S. Cherubini, A. Cunsolo, T. Davinson, W. Galster, J.S. Graulich, D. Groombridge, J. Hinnefeld, P. Leleux, L. Michel, S. Morrow, A. Musumarra, A. Ninane, C. Spitaleri, A. Tumino and J. Vervier 621c

Astrophysics with a DRAGON at ISAC
J.M. D'Auria and DRAGON collaboration 625c

New developments and recent results in nuclear astrophysics at Louvain-la-Neuve
S. Cherubini, C. Angulo, M. Couder, W. Galster, J.S. Graulich, P. Leleux, P. Lipnik, M. Loiselet, A. Musumarra, A. Ninane, G. Ryckewaert, J. Vervier, M. Aliotta, P. Figuera, M. Lattuada, M.G. Pellegriti, C. Spitaleri, T. Davinson, A. Di Pietro, A.M. Laird, A.N. Ostrowski, A.C. Shotter, P.J. Woods, J. Hinnefeld, S. Typel and H. Wolter 632c

Tests on measuring astrophysical S-factors with transfer reactions
R. Crespo and F.M. Nunes 637c

RNB-specific linac development
U. Ratzinger 641c

RNB post-accelerator for ISAC at TRIUMF—present and future
R.E. Laxdal, R.A. Baartman, P. Bricault, G. Dutto, R. Poirier, P. Schmor and G. Stanford 647c

The 7-gap-resonator accelerator for the REX-ISOLDE project at CERN
H. Podlech, R. von Hahn, R. Repnow and D. Schwalm 651c

Design and status of the front part of the REX-ISOLDE linac
T. Sieber, O. Kester, D. Habs, S. Emhofer, K. Rudolph, H. Bongers, A. Schempp and U. Ratzinger 656c

The code LISE: a new version for "Windows"
O. Tarasov, D. Bazin, M. Lewitowicz and O. Sorlin 661c

Program of the RNB-5 conference 666c

List of poster presentations 671c

List of participants 677c

Author index 691c